

A highly portable and cost effective tension banner stand that is lightweight, very stable and simple to use.

## features & benefits

- Available in 2 widths: 800 or 1000mm
- Quick to assemble and easy to use
- Lightweight aluminium components
- Snap frame rails enable easy graphic changes
- Bungee pole provides consistant graphic height
- Includes carry bag
- Available in anodised silver





hardware specifications	graphic specifications	additional info
Hardware Dimensions (mm) 2070 (h) x 805 (w) x 510 (d) approx (based upon 800mm wide unit)  Weight: 2.75kg approx including carry bag (based upon 800mm wide unit)	Total Visual Graphic Area 800 (w) x 1985 (h) mm Total Visual Graphic Area 800 (w) x 1985 (h) mm Add 12.7mm top and bottom for graphic rail.	Included in kit: Carry bag, top rail, bottom rail / stabilising foot and bungee pole Availability: Anodised silver Graphic substrate: Recommended material thickness between 225 - 300 microns

## **Assembly Instructions**



Kit includes: Top rail, Bottom rail /stabilising foot, Bungee pole and carry bag (not shown)



Open up the hinged edge on the top rail and twist the end cap to open the rail and insert the graphic.



Slide the graphic between the hinged edge and the rail through the narrow opening. Snap shut to secure.



Ensure the graphic is pushed securely in all the way along the rail.



Open up the stabilising foot on the bottom rail.



Open up the hinged edge on the bottom rail and twist the end cap to open the rail and insert the graphic.



Insert the bottom of the graphic into the bottom rail, sliding it through the narrow opening.



When the graphic is inserted, snap shut the hinged edge to secure the fit.



Open up the bungee pole and connect the 3 parts together.



Slot bottom of the bungee pole onto the foot.



Finally, bend the bungee pole forward slightly and fit to the top rail.



